



UKAR HEXICAL LIGHTING INDUSTRIES

The lighting world...

Outdoor Lighting
Portfolio
2020

www.ukarhexicallightingindustries.com





UKAR
— LED



— About us —

A Established in the year 2014. We **UKAR HEXICAL LIGHTING INDUSTRIES**, are engaged in manufacturing of a wide assortment of round Flat Panel, Square Flat Panel, Round Down Lights, Surface Lights, LED Street Lights, LED Flood Lights, LED Industrial Lights and also Mfg. of all type of manufactured using optimum grade raw material which is source from the trusted vendors of the industry and are offered in the market leading prices. Our products are creatively designed by our team of craftsman in the innovative patterns to enhance the productivity and flowlessness the products to our esteem clients.

Vision


UKAR -we deliver eco-friendly, efficient, reliable and quality products for sustainable lighting & power products solutions. The company is focused to bring innovation to lighting by providing energy efficient and cost-effective Lighting solutions. The environmentally friendly and energy consumption ideas make an enriching and encouraging customer experience.

Mission

We are committed to bring very aggressive in our towards quality and customer services, primarily since we went to be ranked as the “Best” in our business. Quality is not another goal, it is our basic strategy for survival and future growth.


- ➔ Reliable
- ➔ Abrasions Resistance
- ➔ Easy to operate
- ➔ Easy to install





Model No	Product Name	Wattage	CCT	Finish
4101	Dazzler	3W	3000K/6500K	Graphite Grey
4102	Dazzler	6W	3000K/6500K	Graphite Grey
4105	Sirio	3W	3000K/6500K	Graphite Grey
4106	Sirio	6W	3000K/6500K	Graphite Grey
4301	B-Bay	3W	3000K/6500K	Graphite Grey
4302	B-Bay	6W	3000K/6500K	Graphite Grey


: LED Wall Light - IP 54 :




Model No 4205




Model No 4206




Model No 4201



Model No 4202




Model No 4305




Model No 4306

Model No	Product Name	Wattage	CCT	Finish
4205	Brick Light	4W	3000K/6500K	Graphite Grey
4206	Brick Light	8W	3000K/6500K	Graphite Grey
4201	Jaqr Light	4W	3000K/6500K	Graphite Grey
4202	Jaqr Light	8W	3000K/6500K	Graphite Grey
4305	Round Lity	6W	3000K/6500K	Graphite Grey
4306	Round Lity	12W	3000K/6500K	Graphite Grey



: LED Wall Light :




Model No 4401





Model No 4402




Model No 4405



Model No 4406




Model No 4601



Model No 4602

Model No	Product Name	Wattage	CCT	Finish
4401	Dolby Clear	6W	3000K/6500K	Graphite Grey
4402	Dolby Clear	12W	3000K/6500K	Graphite Grey
4405	Dolby Frost	6W	3000K/6500K	Graphite Grey
4406	Dolby Frost	12W	3000K/6500K	Graphite Grey
4601	Java	12W	3000K/6500K	Graphite Grey
4602	Java	12W	3000K/6500K	Graphite Grey


: LED Wall Light - IP 54 :




Model No 4505



Model No 4506




Model No 4605



Model No 4501




Model No 4502







Model No 4902

Model No	Product Name	Wattage	CCT	Finish
4501	Lens Square	6W	3000K/6500K	Graphite Grey
4502	Lens Square	12W	3000K/6500K	Graphite Grey
4505	Lens Triangle	6W	3000K/6500K	Graphite Grey
4506	Lens Triangle	12W	3000K/6500K	Graphite Grey
4605	Tibet	12W	3000K/6500K	Graphite Grey
4902	Malvi String	12W	3000K/6500K	Graphite Grey



Model No	Product Name	Wattage	CCT	Finish
4801	Snow	6W	3000K/6500K	Graphite Grey
4802	Snow	12W	3000K/6500K	Graphite Grey
4805	Snow Strips	6W	3000K/6500K	Graphite Grey
4806	Snow Strips	12W	3000K/6500K	Graphite Grey
4705	Octiva Strips	12W	3000K/6500K	Graphite Grey
4901	Malvi Light	12W	3000K/6500K	Graphite Grey

: LED Wall Light - IP 54 :



Model No	Product Name	Light Source	IP Rating	Finish
4908	A-Block	E-27	IP-54	Graphite Grey
4909	B-Block	E-27	IP-54	Graphite Grey
4910	C-Block	E-27	IP-54	Graphite Grey

Aluminium Profile



Aluminium Profile



CODE	DIAGRAM	DIMENSION	STD PKG
508		2000*24.7*7	100 Mtr
509		2000*17.4*7	100 Mtr
510		2000*13.2*7	100 Mtr
601		2000*16*16	100 Mtr
617		2000*23.5*10	100 Mtr
624		2000*10*13	100 Mtr
808		2000*43.6*34.8	30 Mtr
809		2000*35*34.8	30 Mtr

All Size are in mm
Empty Profile w/o LED

1 High Grade
PC&ALU

2 Standard Length
2 Mtr per lenght

3 aluminum+PC+2 end
caps & 2back clips



The art of style
feel incomplete without
touch of lights

LED STREET LIGHT

LENCY MODEL



AC
85-265V

CCT
WH/WW



Ip66

24 Months Guarantee

CODE	POWER	DIMENSION	PIPE ID	LUMENS
LEN001	24W	ø60x107x38	38	3120
LEN002	32W	ø360x127x38	38	4160
LEN003	50W	ø410x160x38	38	6500
LEN004	100W	ø640x220x55	55	13000

FINISH
ElegantGrey

All sizes are in mm

1 High Performance Led Chip with 130 lm/Watt

2 Up-to to 4KV Surge Protection

3 High Quality Alu+PC

4 Powered By OSRAM LED



ModelName:	LENS 001
Wattage	20w - 24w
Casting weight	0.330Kg
Total Weight	0.825Kg
Dimensions	60X107
Pipe I.D	38mm
M.Pkg	30 No.
IP rating	Ip65



ModelName:	LENS 002
Wattage	30w - 36w
Casting weight	0.440Kg
Total Weight	0.925Kg
Dimensions	360X127
Pipe I.D	38mm
M.Pkg	30 No.
IP rating	Ip65



ModelName:	LENS 003
Wattage	50w
Casting weight	0.670Kg
Total Weight	1.85Kg
Dimensions	410X160
Pipe I.D	38mm
M.Pkg	20 No.
IP rating	Ip65



ModelName:	LENS 004
Wattage	100w
Casting weight	1.8Kg
Total Weight	2.2Kg
Dimensions	640X220
Pipe I.D	55mm
M.Pkg	10 No.
IP rating	Ip65

LED STREET LIGHT

FLAME MODEL

SMD	AC 85-265V	CCT WH/WW	120°	Ip66	24 Months Guarantee
------------	----------------------	---------------------	-------------	-------------	----------------------------

CODE	POWER	DIMENSION	PIPE ID	LUMENS
STF001	24W	ø105x330x42	42	3120
STF002	35W	ø150x380x42	42	4420
STF003	60W	ø198x419x50	50	6980
STF004	100W	ø206x435x50	50	13200
STF003	150W	ø260x520x50	50	17800
STF004	200W	ø335x610x57	57	23800

FINISH
ElegantGrey

All sizes are in mm

- 1 High Performance Led Chip with 130 lm/Watt
- 2 Up-to to 4KV Surge Protection
- 3 High Quality Alu+PC
- 4 Powered By OSRAM LED



ModelName:	STF 001
Wattage	15w - 24w
Casting weight	0.540Kg
Total Weight	0.740Kg
Dimensions	105X330
Pipe I.D	42mm
M.Pkg	30 No.
IP rating	Ip65



ModelName:	STF 002
Wattage	30 - 40w
Casting weight	0.800Kg
Total Weight	1.06Kg
Dimensions	150X380
Pipe I.D	42mm
M.Pkg	20 No.
IP rating	Ip65



ModelName:	STF 003
Wattage	50w - 70w
Casting weight	1.230Kg
Total Weight	1.660Kg
Dimensions	198X419
Pipe I.D	50mm
M.Pkg	12 No.
IP rating	Ip65



ModelName:	STF 004
Wattage	70w - 100w
Casting weight	1.7Kg
Total Weight	2.1Kg
Dimensions	206X435
Pipe I.D	50mm
M.Pkg	12 No.
IP rating	Ip65



ModelName:	STF 005
Wattage	100w - 150w
Casting weight	2.9Kg
Total Weight	3.4Kg
Dimensions	260X520
Pipe I.D	50mm
M.Pkg	10 No.
IP rating	Ip65



ModelName:	STF 006
Wattage	200w - 250w
Casting weight	4.8Kg
Total Weight	5.730Kg
Dimensions	335X610
Pipe I.D	57mm
M.Pkg	5 No.
IP rating	Ip65

LED STREET LIGHT

CLAMP MODEL



AC
85-265V

CCT
WH/WW



Ip66

24 Months Guarantee

CODE	POWER	DIMENSION	PIPE ID	LUMENS
STC001	24W	ø98x350x42	42	3120
STC002	35W	ø147x395x42	42	4420
STC003	60W	ø198x419x50	50	6980
STC004	100W	ø206x435x50	50	13200
STC003	150W	ø260x520x50	50	17800
STC004	200W	ø335x610x57	57	23800

FINISH
ElegantGrey

All sizes are in mm

- 1 High Performance Led Chip with 130 lm/Watt
- 2 Up-to to 4KV Surge Protection
- 3 High Quality Alu+PC
- 4 Powered By OSRAM LED



ModelName:	STC 001
Wattage	15w - 24w
Casting weight	0.4Kg
Total Weight	0.7Kg
Dimensions	98X350
Pipe I.D	42mm
M.Pkg	30 No.
IP rating	Ip65



ModelName:	STC 002
Wattage	30w - 40w
Casting weight	0.570Kg
Total Weight	1.070Kg
Dimensions	147X395
Pipe I.D	42mm
M.Pkg	20 No.
IP rating	Ip65



ModelName:	STC 003
Wattage	50w - 60w
Casting weight	0.950Kg
Total Weight	1.650Kg
Dimensions	198X419
Pipe I.D	50mm
M.Pkg	12 No.
IP rating	Ip65



ModelName:	STC 004
Wattage	70w - 100w
Casting weight	1.2Kg
Total Weight	2Kg
Dimensions	206X435
Pipe I.D	50mm
M.Pkg	12 No.
IP rating	Ip65



ModelName:	STC 005
Wattage	100w - 150w
Casting weight	2.2Kg
Total Weight	3.350Kg
Dimensions	260X520
Pipe I.D	50mm
M.Pkg	10 No.
IP rating	Ip65



ModelName:	STC 006
Wattage	200w - 250w
Casting weight	3.8Kg
Total Weight	5.6Kg
Dimensions	335X610
Pipe I.D	57mm
M.Pkg	5 No.
IP rating	Ip65

LED STREET LIGHT

LENCY FLOOD LIGHT MODEL



AC
85-265V

CCT
WH/WW



Ip66

24 Months Guarantee

CODE	POWER	DIMENSION	PIPE ID	LUMENS
FLN001	30W	205x165	-	3600
FLN002	50W	190x255	-	5750
FLN003	100W	260x300	-	8500
FLN004	150W	275x365	-	13000

FINISH
ElegantGrey

All sizes are in mm

- 1 High Performance Led Chip with 130 lm/Watt
- 2 Up-to to 4KV Surge Protection
- 3 High Quality Alu+PC
- 4 Powered By OSRAM LED



ModelName:	FLN 001
Wattage	30w
Casting weight	0.400Kg
Total Weight	0.720Kg
Dimensions	205X165
Pipe I.D	
M.Pkg	20 No.
IP rating	Ip65



ModelName:	FLN 002
Wattage	50w
Casting weight	0.6Kg
Total Weight	1.1Kg
Dimensions	190X255
Pipe I.D	
M.Pkg	20 No.
IP rating	Ip65



ModelName:	FLN 003
Wattage	100w
Casting weight	1Kg
Total Weight	1.7Kg
Dimensions	260X300
Pipe I.D	
M.Pkg	10 No.
IP rating	Ip65



ModelName:	FLN 004
Wattage	150w
Casting weight	1.5Kg
Total Weight	2.1Kg
Dimensions	275X365
Pipe I.D	
M.Pkg	10 No.
IP rating	Ip65

LED FLOOD LIGHT

BACK CHOCK MODEL



AC
85-265V

CCT
WH/WW



Ip66

24 Months Guarantee

CODE	POWER	DIMENSION	PIPE ID	LUMENS
FLBC001	50W	180x345	-	4420
FLBC002	70W	150x380	-	6300
FLBC003	100W	250x335	-	8850
FLBC004	150W	300x385	-	13200
FLBC003	300W	350x485	-	27050
FLBC004	400W	600x400	-	36100

FINISH
ElegantGrey

All sizes are in mm

- 1 High Performance Led Chip with 130 lm/Watt
- 2 Up-to to 4KV Surge Protection
- 3 High Quality Alu+PC
- 4 Powered By OSRAM LED



ModelName:	FLBC 001
Wattage	30w - 50w
Casting weight	0.950Kg
Total Weight	1.57Kg
Dimensions	180X345
M.Pkg	10 No.
IP rating	Ip65



ModelName:	FLBC 002
Wattage	50w - 100w
Casting weight	1.5Kg
Total Weight	2.29Kg
Dimensions	150X380
M.Pkg	10 No.
IP rating	Ip65



ModelName:	FLBC 003
Wattage	100w - 150w
Casting weight	2.67Kg
Total Weight	3.35Kg
Dimensions	250X335
M.Pkg	8 No.
IP rating	Ip65



ModelName:	FLBC 004
Wattage	150w - 200w
Casting weight	3.34Kg
Total Weight	4.6Kg
Dimensions	300X385
M.Pkg	6 No.
IP rating	Ip65



ModelName:	FLBC 005
Wattage	300w - 400w
Casting weight	5Kg
Total Weight	7.3Kg
Dimensions	350X485
M.Pkg	4 No.
IP rating	Ip65



ModelName:	FLBC 006
Wattage	400w - 500w
Casting weight	8.2Kg
Total Weight	11.7Kg
Dimensions	600X400
M.Pkg	2 No.
IP rating	Ip65

LED FLOOD LIGHT

DOWN CHOCK MODEL



AC
85-265V

CCT
WH/WW



Ip66

24 Months Guarantee

CODE	POWER	DIMENSION	PIPE ID	LUMENS
FLDC001	30W	185x182	-	4680
FLDC002	50W	220x230	-	6400
FLDC003	70W	275x285	-	6950
FLDC004	100W	350x240	-	9250
FLDC003	150W	285x335	-	13500
FLDC004	250W	340x385	-	22430

FINISH
ElegantGrey

All sizes are in mm

- 1 High Performance Led Chip with 130 lm/Watt
- 2 Up-to to 4KV Surge Protection
- 3 High Quality Alu+PC
- 4 Powered By OSRAM LED



ModelName:	FLDC 001
Wattage	20w - 30w
Casting weight	0.4Kg
Total Weight	0.880Kg
Dimensions	185X182
M.Pkg	20 No.
IP rating	Ip65



ModelName:	FLDC 002
Wattage	30w - 50w
Casting weight	0.640Kg
Total Weight	1.27Kg
Dimensions	220X230
M.Pkg	20 No.
IP rating	Ip65



ModelName:	FLDC 003
Wattage	50w - 100w
Casting weight	0.91Kg
Total Weight	1.870Kg
Dimensions	275X285
M.Pkg	20 No.
IP rating	Ip65



ModelName:	FLDC 004
Wattage	100w - 120w
Casting weight	10.90Kg
Total Weight	2.250Kg
Dimensions	350X240
M.Pkg	15 No.
IP rating	Ip65



ModelName:	FLDC 005
Wattage	100w - 150w
Casting weight	1.380Kg
Total Weight	2.560Kg
Dimensions	285X335
M.Pkg	10 No.
IP rating	Ip65



ModelName:	FLDC 006
Wattage	200w - 250w
Casting weight	3.240Kg
Total Weight	4.720Kg
Dimensions	340X385
M.Pkg	5 No.
IP rating	Ip65



Circular Highbay



AC
85-265V

CCT
WH/WW



IP66

2 Year Guarantee

All sizes are in mm

CODE	POWER	DIMENSION	LUMENS	PF
MUFO-50	50W	ø240X170	6500	>0.9
MUFO-100	100W	ø300X180	13000	>0.9
MUFO-150	150W	ø350X180	19500	>0.9
MUFO-200	200W	ø400X190	26000	>0.9

1

High Performance Led Chip with 130 lm/Watt

2

Up to 10KV Surge Protection

3

High Quality Alu+PC & Toughened Glass

4

Powered By Edison LED

Suspended Highbay



AC
85-265V

CCT
WH/WW



IP66

2 Year Guarantee

All sizes are in mm

CODE	POWER	DIMENSION	LUMENS	PF
MSHB-50	50W	ø390X340	6500	>0.9
MSHB-100	100W	ø390X410	13000	>0.9
MSHB-150	150W	ø350X180	19500	>0.9
MUHB-200	200W	ø400X190	26000	>0.9



LED Highbay for Petrol Bunk Available at Request




The Story of Success


: Bollard :




ModelName:	Shiron			
IPRating	IP44			
LighSource	E-27			
ModelNo	MB-5101	MB-5102	MB-5103	MB-5104
Dimensions	176X168	176X168	176X168	176X193
Size	300mm	500mm	800mm	WallLight
M.Pkg	8No.	6No.	6No.	8No.
MouningBase	MB-01	MB-01	MB-01	MB-21



ModelName	LigeoBollard				
IPRating	Ip44				
LightSource	E-27				
ModelNo	MB-5110	MB-5111	MB-5112	MB-5113	MB-5114
Dimensions	220x220	220x220	220x220	220x220	220X255
Size	200mm	300mm	500mm	800mm	WallLight
M.Pkg	9.00	9.00	4.00	4.00	8.00
MouningBase	MB-03	MB-03	MB-03	MB-03	MB-22




ModelName:	Evon			
IPRating	Ip44			
LighSource	E-27			
ModelNo	MB-5201	MB-5202	MB-5203	MB-5204
Dimensions	120x120	120x120	120x120	120x170
Size	300mm	500mm	800mm	WallLight
M.Pkg	8No.	6No.	6No.	8No.
MouningBase	MB-03	MB-03	MB-03	MB-22




: Bollard :


ModelName	Aura			
IPrating	Ip44			
LighSource	E-27			
ModelNo	MB-5210	MB-5211	MB-5212	MB-5213
Dimensions	123X123	123X123	123X123	123x170
Size	300mm	500mm	800mm	WallLight
M.Pkg	8No.	6No.	6No.	8No.
MouningBase	MB-02	MB-02	MB-02	MB-22



ModelName	SlimAura			
IPrating	IP44			
LighSource	E-27			
ModelNo	MB-5216	MB-5217	MB-5218	MB-5219
Dimensions	70X70	70X70	70X70	70X106
Size	300mm	500mm	800mm	WallLight
M.Pkg	9No.	9No.	9No.	9No.
MouningBase	MB-05	MB-05	MB-05	MB-24




ModelName:	SlimEvon			
IPrating	IP44			
LighSource	E-27			
ModelNo	MB-5206	MB-5207	MB-5208	MB-5209
Dimensions	70X70	70X70	70X70	70X106
Size	300mm	500mm	800mm	WallLight
M.Pkg	9No.	9No.	9No.	9No.
MouningBase	MB-06	MB-06	MB-06	MB-24




:LED Bollard:


ModelName:	Irish			
IPRating	IP54			
Watts	6Watts			
CCT	3000-6500K			
ModelNo	MB-5301	MB-5302	MB-5303	MB-5304
Dimensions	150X235	150X235	150X235	150X250
Size	300mm	500mm	800mm	WallLight
M.Pkg	8.00	4.00	4.00	8.00
MouningBase	MB-08	MB-08	MB-08	MB-21



ModelName:	Hut			
IPRating	Ip54			
Watts	10Watts			
ModelNo	MB-5310	MB-5311	MB-5312	MB-5313
Dimensions	130X130	130X130	130X130	130x170
Size	300mm	500mm	800mm	WallLight
M.Pkg	8.00	6.00	6.00	8.00
MouningBase	MB-06	MB-06	MB-06	MB-22




ModelName:	Orbix			
IPRating:	Ip54			
Watts:	6Watts			
CCT:	3000-6500K			
ModelNo	MB-5320	MB-5321	MB-5322	MB-5323
Dimensions	70X70	70X70	70X70	70X106
Size	300mm	500mm	800mm	WallLight
M.Pkg	9.00	9.00	9.00	9.00
MouningBase	MB-05	MB-05	MB-05	MB-24





:LED Bollard:




ModelName:	Orbit				
IPRating:	Ip54				
Watts:	6Watts				
CCT:	3000-6500K				
ModelNo	MB-5401	MB-5402	MB-5403	MB-5404	MB-5405
Dimensions	130x130	130x130	130x130	130x130	130x170
Size	200mm	300mm	500mm	800mm	WallLight
M.Pkg	8No.	8No.	6No.	6No.	8No.
MouningBase	MB-02	MB-02	MB-02	MB-02	MB-22



ModelName:	Meridian			
IPrating	Ip54			
LighSource	6Watts			
ModelNo	MB-5410	MB-5411	MB-5412	MB-5413
Dimensions	100x100	100x100	100x100	100x170
Size	300mm	500mm	800mm	WallLight
M.Pkg	9.00	9.00	9.00	9.00
MouningBase	MB-05	MB-05	MB-05	MB-22




ModelName	AceBollard				
IPRating	Ip54				
Watts	6Watts				
CCT	3000-6500K				
ModelNo	MB-5420	MB-5421	MB-5422	MB-5423	MB-5424
Dimensions	108x108	108x108	108x108	108x108	108x150
Size	200mm	300mm	500mm	800mm	WallLight
M.Pkg	9.00	9.00	9.00	9.00	9.00
MouningBase	MB-03	MB-03	MB-03	MB-03	MB-22




:LED Bollard:


ModelName:	Slate			
IPRating:	Ip54			
Watts:	6Watts			
CCT:	3000-6500K			
ModelNo	MB-5621	MB-5622	MB-5623	MB-5624
Dimensions	126X132	126X132	126X132	126X132
Size	300mm	500mm	800mm	WallLight
M.Pkg	9.00	9.00	9.00	9.00
MouningBase	MB-05	MB-05	MB-05	MB-24



ModelName	Cruze				
IPRating	Ip54				
Watts	12Watts				
CCT	3000-6500K				
ModelNo	MB-5601	MB-5602	MB-5603	MB-5604	MB-5605
Dimensions	120x120	108x105	108x105	108x105	108x150
Size	200mm	300mm	500mm	800mm	WallLight
M.Pkg	9.00	9.00	9.00	9.00	9.00
MouningBase	MB-03	MB-03	MB-03	MB-03	MB-22




ModelName:	Cubic				
IPRating:	Ip54				
Watts:	10Watts				
CCT:	3000-6500K				
ModelNo	MB-5611	MB-5612	MB-5613	MB-5614	MB-5614
Dimensions	75x75	75x75	75x75	75x75	75x105
Size	225mm	300mm	500mm	800mm	WallLight
M.Pkg	9.00	9.00	9.00	9.00	9.00
MouningBase	MB-07	MB-07	MB-07	MB-07	MB-22



:LED Bollard:



ModelName	Coral			
IPRating	Ip54			
Watts	10Watts			
CCT	3000-6500K			
ModelNo	MB-5501	MB-5502	MB-5503	MB-5504
Dimensions	Ø100	Ø100	Ø100	Ø100
Size	200mm	300mm	500mm	800mm
M.Pkg	9.00	9.00	9.00	9.00
MouningBase	MB-05	MB-05	MB-05	MB-24



ModelName	Veera		
IPRating	Ip54		
Watts	20Watts		
CCT	3000-6500K		
ModelNo	MB-5511	MB-5522	MB-5533
Size	300mm	500mm	800mm
M.Pkg	9.00	9.00	9.00
MouningBase	MB-12	MB-12	MB-12




ModelName	Syrea		
IPRating	Ip54		
Watts	10Watts		
CCT	3000-6500K		
ModelNo	MB-5521	MB-5522	MB-5523
Size	300mm	500mm	800mm
M.Pkg	9.00	9.00	9.00
MouningBase	MB-12	MB-12	MB-12


:LED Bollard:




ModelName	Glance			
IPRating	Ip54			
Watts	10Watts			
CCT	3000-6500K			
ModelNo	MB-5701	MB-5702	MB-5703	MB-5704
Dimensions	100X100	100X100	100X100	100X140
Size	300mm	500mm	800mm	WallLight
M.Pkg	9	9	9	9
MouningBase	MB-11	MB-11	MB-11	MB-25



ModelName	Glinto		
IPRating	Ip54		
Watts	10Watts		
CCT	3000-6500K		
ModelNo	MB-5710	MB-5711	MB-5712
Dimensions	Ø100	Ø100	Ø100
Size	300mm	500mm	800mm
M.Pkg	9.00	9.00	9.00
MouningBase	MB-12	MB-12	MB-12




ModelName	Glanto		
IPRating	Ip54		
Watts	10Watts		
CCT	3000-6500K		
ModelNo	MB-5721	MB-5722	MB-5723
Dimensions	Ø166	Ø166	Ø166
Size	300mm	500mm	800mm
M.Pkg	9.00	9.00	9.00
MouningBase	MB-12	MB-12	MB-12



:LED Bollard:

ModelName	Alice			
IPRating	Ip54			
Watts	6Watts			
CCT	3000-6500K			
ModelNo	MB-5801	MB-5802	MB-5803	MB-5804
Dimensions	T70xT70	T70xT70	T70xT70	T70xT70
Size	300mm	500mm	800mm	WallLight
M.Pkg	9.00	9.00	9.00	9.00
MouningBase	MB-05	MB-05	MB-05	MB-24



ModelName	CharmRound	
IPRating	Ip54	
Watts	10Watts	
CCT	3000-6500K	
ModelNo	MB-5901	StripColour
Dimensions	Ø100	White, W.W.C.W
Size	500mm	Red, Green, Blue,
M.Pkg	9.00	Amber, Pink
MouningBase	MB-12	



ModelName	CharmSquare	
IPRating	Ip54	
Watts	10Watts	
CCT	3000-6500K	
ModelNo	MB-5905	StripColour
Dimensions	100x100	White, W.W.C.W
Size	500mm	Red, Green, Blue,
M.Pkg	9.00	Amber, Pink
MouningBase	MB-12	



:LED Bollard:



ModelName	Amber	
IPRating	Ip54	
Watts	12Watts(withlensmodule)	
CCT	3000-6500K	
ModelNo	MB-5801	MB-5802
Dimensions	385X60	385X60
Height	500mm	1000mm
MouningBase	MB-05	MB-24

ModelName	Avis	
IPRating	Ip54	
Watts	24Watts	
CCT	3000-6500K	
ModelNo	MB-5811	MB-5812
Dimensions	700x80	1020X80
Height	300mm	300mm
MouningBase	MB-05	MB-24



Wood Series



:LED Bollard:



ModelName	Treak		
IPRating	Ip54		
Watts	10Watts		
CCT	3000-6500K		
ModelNo	MB-5910	MB-5911	MB-5912
Dimensions	Ø100	Ø100	Ø100
Size	300mm	600mm	1000mm
MouningBase	MB-12	MB-11	MB-11

DimensionsofØ166allavailable
inwoodfinishonrequest

ModelName	LinqBollard		
IPRating	Ip54		
Watts	20Watts		
CCT	3000-6500K		
ModelNo	MB-5920	MB-5921	MB-5922
Dimensions	100x100	100x100	100x100
Size	300mm	600mm	1000mm
M.Pkg	9.00	9.00	9.00
MouningBase	MB-12	MB-12	MB-12



ModelName	Atonomix		
IPRating	Ip54		
Watts	20Watts(withlensmodule)		
CCT	3000-6500K		
ModelNo	MB-5930	MB-5931	MB-5932
Dimensions	100x100	100x100	100x100
Size	300mm	600mm	1000mm
M.Pkg	9.00	9.00	9.00
MountingBase	MB-12	MB-11	MB-11

:LED Bollard:

ModelName	FeraBollard			
IPRating	Ip54			
Watts	20Watts(withlensmodule)			
CCT	3000-6500K			
ModelNo	MB-5920	MB-5921	MB-5922	MB-5923
Dimensions	70x70	70x70	70x70	70x106
Size	300mm	600mm	1000mm	WallLight
M.Pkg	9.00	9.00	9.00	9.00
MountingBase	MB-05	MB-05	MB-05	MB-24



ModelName	LinqBollard			
IPRating	Ip54			
Watts	10Watts			
CCT	3000-6500K			
ModelNo	MB-5950	MB-5951	MB-5952	MB-5953
Dimensions	108x108	108x108	108x108	108X
Size	200mm	300mm	600mm	900mm
M.Pkg	9.00	9.00	9.00	9.00
MountingBase	MB-12	MB-12	MB-12	MB-22





Any Customization done
at easiest way always

Premium Lighting Concept



Model No : MB-6101
Model Name : Marvish
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : Ø100
Body Colour : Grey
Height : 600mm



Model No : MB-6102
Model Name : Margit
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : Ø100
Body Colour : Grey
Height : 600mm



Model No : MB-6103
Model Name : Marjeet
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : Ø100
Body Colour : Grey
Height : 600mm

:LED Bollard:



Model No : MB-6104
Model Name : Morish
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : Ø100
Body Colour : Grey
Height : 600mm



Model No : MB-6104
Model Name : Marvel
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : Ø100
Body Colour : Grey
Height : 600mm



Model No : MB-6105
Model Name : Swill
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : 150X150
Body Colour : Grey
Height : 600mm



Model No : MB-6101
Model Name : Swish
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : 150X150
Body Colour : Grey
Height : 600mm



Model No : MB-6101
Model Name : Smash
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : 150X150
Body Colour : Grey
Height : 600mm



Model No : MB-6101
Model Name : Sweep
Wattage : 20 Watts
Material : Mild Steel & P.C
Dimension : 150X150
Body Colour : Grey
Height : 600mm

LED Solar Bollard



AceSolarBollard

Model No	MS-7101	MS-7102	MS-7103
Solar Panel	5V/3W	5V/3W	5V/3W
Battery	3.7V/6 Ah	3.7V/6 Ah	3.7V/6 Ah
Charge time	6-8 Hrs	6-8 Hrs	6-8 Hrs
Working time	12-16 Hrs	12-16 Hrs	12-16 Hrs
Height	350mm	650mm	1000mm
Material	Aluminium	Aluminium	Aluminium



TridentSolarBollard


Model No	MS-7110	MS-7111	MS-7112
Solar Panel	5V/3W	5V/3W	5V/3W
Battery	3.7V/6 Ah	3.7V/6 Ah	3.7V/6 Ah
Charge time	6-8 Hrs	6-8 Hrs	6-8 Hrs
Working time	12-16 Hrs	12-16 Hrs	12-16 Hrs
Height	350mm	650mm	1000mm
Material	Alumi+PC	Alumi+PC	Alumi+PC





HydraSolarBollard

Model No	MS-7201	MS-7202	MS-7203	MS-7204
Solar Panel	5V/4.5W	5V/4.5W	5V/4.5W	5V/4.5W
Battery	3.2V/6 Ah	3.2V/6 Ah	3.2V/6 Ah	3.2V/6 Ah
Charge time	3-5 Hrs	3-5 Hrs	3-5 Hrs	3-5 Hrs
Working time	12-16 Hrs	12-16 Hrs	12-16 Hrs	12-16 Hrs
Height	350mm	650mm	1000mm	Wall Light
Material	Alumi+PC	Alumi+PC	Alumi+PC	Alumi+PC



CometSolarBollard

Model No	MS-7210	MS-7211	MS-7212
Solar Panel	6V/3W	6V/3W	6V/3W
Battery	3.7V/6 Ah	3.7V/6 Ah	3.7V/6 Ah
Charge time	3-5 Hrs	3-5 Hrs	3-5 Hrs
Working time	12-16 Hrs	12-16 Hrs	12-16 Hrs
Height	350mm	650mm	1000mm
Material	Alumi+PC	Alumi+PC	Alumi+PC





MS-7206

MS-7207

MS-7208

MS-7207


MS-7208






FormaxSolarBollard

Model No	MS-7301	MS-7302	MS-7303	MS-7304
Solar Panel	5V/4.5W	5V/4.5W	5V/4.5W	5V/4.5W
Battery	3.2V/6 Ah	3.2V/6 Ah	3.2V/6 Ah	3.2V/6 Ah
Charge time	3-5 Hrs	3-5 Hrs	3-5 Hrs	3-5 Hrs
Working time	12-16 Hrs	12-16 Hrs	12-16 Hrs	12-16 Hrs
Height	350mm	650mm	1000mm	Wall Light
Material	Alumi+PC	Alumi+PC	Alumi+PC	Alumi+PC



PravoSolarBollard


Model No	MS-7310	MS-7311	MS-7312	MS-7313
Solar Panel	5V/4.5W	5V/4.5W	5V/4.5W	5V/4.5W
Battery	3.2V/6 Ah	3.2V/6 Ah	3.2V/6 Ah	3.2V/6 Ah
Charge time	3-5 Hrs	3-5 Hrs	3-5 Hrs	3-5 Hrs
Working time	12-16 Hrs	12-16 Hrs	12-16 Hrs	12-16 Hrs
Height	350mm	650mm	1000mm	Wall Light
Material	Alumi+PC	Alumi+PC	Alumi+PC	Alumi+PC




New ideas of Lighting always




: Post Top Lantern :




Model No	MT-1000
Model Name	Ringle
Wattage	40W



Model No	MT-1001
Model Name	Abot
Wattage	40W



Model No	MT-1002
Model Name	Foam
Wattage	E-27



Model No	MT-1003
Model Name	Form
Wattage	E-27



Model No	MT-1006
Model Name	Trio Liner-S
Wattage	40W
Size	400x400




Model No	MT-1006
Model Name	Trio Liner-S
Wattage	40W
Size	400x400


: Post Top Lantern :




Model No	MT-1007
Model Name	Chikki
Wattage	60W




Model No	MT-1008
Model Name	Ikon
Wattage	70W




Model No	MT-1009
Model Name	Fluro
Wattage	60W



Model No	MT-1010
Model Name	Brizz
Wattage	30W




Model No	MT-1011
Model Name	Benz
Wattage	60W
Size	600x420




Model No	MT-1012
Model Name	Benz
Wattage	75W
Size	650x400


: Post Top Lantern :




Model No	MT-1000
Model Name	Ringle
Wattage	40W



Model No	MT-1001
Model Name	Abot
Wattage	40W



Model No	MT-1002
Model Name	Foam
Wattage	E-27



Model No	MT-1003
Model Name	Form
Wattage	E-27




Model No	MT-1004
Model Name	Trio Liner-L
Wattage	40W
Size	800x800


Model No	MT-1005
Model Name	Trio Liner-M
Wattage	40W
Size	600x600

Model No	MT-1006
Model Name	Trio Liner-S
Wattage	40W
Size	400x400


: Post Top Lantern :




Model No	MT-1007
Model Name	Chikki
Wattage	60W



Model No	MT-1008
Model Name	Ikon
Wattage	70W



Model No	MT-1009
Model Name	Fluro
Wattage	60W



Model No	MT-1010
Model Name	Brizz
Wattage	30W



Model No	MT-1011
Model Name	Benz
Wattage	60W
Size	600x420



Model No	MT-1012
Model Name	Benz
Wattage	75W
Size	650x400


: Post Top Lantern :




Model No	MT-1013	MT-1014	MT-1015
Model Name	Tortile-1	Tortile-2	Tortile-3
Wattage	50W	100W	150W




Model No	Model Name	Wattage
MT-1016	Mushroom Small	40W
MT-1017	Mushroom Big	75W
MT-1018	Mushroom Big	150W



Model No	MT-1019
Model Name	Ludo
Wattage	60W



Model No	MT-1020
Model Name	Mini Ludo
Wattage	40W



Model No	MT-1021
Model Name	Trimax
Wattage	25W
Wattage	50W



Model No	MT-1022
Model Name	Trimax Circle
Wattage	125W

: Post Top Lantern :



Model No	MT-1023
Model Name	Ashita
Size	700x370x114
Wattage	40W



Model No	MT-1024
Model Name	Angle
Size	830x760x76
Wattage	50W



Model No	MT-1025
Model Name	Soul
Size	550x440x70
Wattage	30W



Model No	MT-1026
Model Name	Soneat
Size	600x400x76
Wattage	40W




Model No	MT-1027
Model Name	San
Size	680x830x76
Wattage	40W



Model No	MT-1028
Model Name	Tan
Size	680x190x76
Wattage	40W

: Post Top Lantern :



Model No	MT-1029
Model Name	Majestic
Wattage	40W



Model No	MT-1030
Model Name	Moan
Size	600x520x76
Wattage	40W



Model No	MT-1031
Model Name	Flora
Size	500x630x76
Wattage	40W



Model No	MT-1032
Model Name	Fin
Size	680x190x76
Wattage	40W




Model No	MT-1033
Model Name	Veeram
Size	600x400x76
Wattage	40W




Model No	MT-1034
Model Name	Seam
Size	600x400x76
Wattage	40W

: Post Top Lantern :


UNI Series




MODEL NO	WATTAGE	DIMENSION
MPH-3001	30W	600x120x63




MODEL NO	WATTAGE	DIMENSION
MPH-3002	60W	600x200x63




MODEL NO	WATTAGE	DIMENSION
MPH-3003	60W	600x120x208



MODEL NO	WATTAGE	DIMENSION
MPH-3004	60W	600x120x208




MODEL NO	WATTAGE	DIMENSION
MPH-3005	60W	1100x120x208




MODEL NO	WATTAGE	DIMENSION
MPH-3006	60W	1100x120x366


: Post Top Lantern :




MODEL NO	WATTAGE	DIMENSION
MPH-3007	120W	600x200x375




MODEL NO	WATTAGE	DIMENSION
MPH-3008	120W	1200x200x215




MODEL NO	WATTAGE	DIMENSION
MPH-3009	120W	2000x120x366



MODEL NO	WATTAGE	DIMENSION
MPH-3010	120W	2000x120x366



MODEL NO	WATTAGE	DIMENSION
MPH-3011	250W	2000x172x300



MODEL NO	WATTAGE	DIMENSION
MPH-3012	360W	2000x172x455

Features and Technology

- LED Light up-to 200W with light controller
- Wi fi- Auto connectivity from 1 pole to another pole
- Weather Monitoring
- LED Display
- Inbuilt Camera
- PAS- Public Announcement Service
- SOS calling
- UV Car Charging

Application & Usage of Smart Street Light

Airport's Lighting & Public Announcement

Highway and Roadway Lighting & Advertising Purpose

Park & Playground Lighting and Safety by Camera Access

Outdoor Security Lighting with SOS Calling system

Railways & Metro Station Wi- fisystem & Advertising purpose


Malls & Shopping Centre for safety Camera & Advertising purpose

Many Places are now being installed with Smart Lighting Pole because we have great market for Smart City and Safety precaution taken by our government with advertising media for our display inbuilt module

: LED Smart Pole Series



: LED Smart Pole Series :




:Decorative Street Poles:



Model No : MP-9001
Model Name : Karin Pole
Wattage : 60 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr




Model No : MP-9002
Model Name : Celeste Pole
Wattage : 60 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr



Model No : MP-9003
Model Name : Maskar Pole
Wattage : 60 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr




Model No : MP-9004
Model Name : Twink Pole
Wattage : 120 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr



Model No : MP-9005
Model Name : Lavish Square
Wattage : 120 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey


Height
3Mtr
4Mtr
5Mtr



Model No : MP-9006
Model Name : Pentium Pole
Wattage : 60 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey


Height
3Mtr
4Mtr
5Mtr

:Decorative Street Poles:




Model No : MP-9007
Model Name : Starling
Wattage : 60 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr



Model No : MP-9008
Model Name : Neo DX
Wattage : 120 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr




Model No : MP-9009
Model Name : Judo Pole
Wattage : 120 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr




Model No : MP-9010
Model Name : Neo RX
Wattage : 120 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr



Model No : MP-9011
Model Name : Honey Comb
Wattage : 120 Watts
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr



Model No : MP-9012
Model Name : Top Charm
Wattage : 120 Watts(30x4)
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height
3Mtr
4Mtr
5Mtr-

:Decorative Street Poles:




Model No : MP-9013
Model Name : Arrow Charm
Wattage : 120 Watts(60x3)
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey

Height available
3Mtr
4Mtr
5Mtr



Model No : MP-9014
Model Name : Round Pole
Strip Wattage : 20 Watts
Material : Aluminium
Dimension : Ø100mm
Body Colour : Grey
Height available
2.5Mtr
3Mtr
3.6Mtr




Model No : MP-9015
Model Name : Round Pole
Strip Wattage : 20 Watts
Material : Aluminium
Dimension : Ø100*160mm
Body Colour : Grey
Height available
2.5Mtr
3Mtr
3.6Mtr



Model No : MP-9016
Model Name : Eureka
Wattage : 120 Watts
(20x6)
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : Ø100mm
Body Colour : Grey

Height available
3Mtr
4Mtr
5Mtr



Model No : MP-9017
Model Name : Neva
Wattage : 90 Watts
(30x3)
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : Ø100mm
Body Colour : Grey

Height available
3Mtr
4Mtr
5Mtr



Model No : MP-9018
Model Name : Top Charm
Wattage : 120 Watts
(30x4)
Strip Wattage: 20 Watts
Material : Aluminium
Dimension : 80X120mm
Body Colour : Grey


Height
3Mtr
4Mtr
5Mtr

:LED Street Poles:




Model No : MP-9106
Model Name : Vega
Wattage : 60W
Material : Iron
Body Colour : Grey
Pipe Dia : 100x100
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr




Model No : MP-9107
Model Name : Vega-2
Wattage : 120W
Material : Iron
Body Colour : Grey
Pipe Dia : 100x100
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr




Model No : MP-9108
Model Name : Khaua
Wattage : 60 W
Material : Iron
Body Colour : Grey
Pipe Dia : 100x100
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr




Model No : MP-9109
Model Name : Energy Square
Wattage : 120W
Material : Iron
Body Colour : Grey
Pipe Dia : 100x100
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr



Model No : MP-9110
Model Name : Hydra Pole
Wattage : 120W
Material : Iron
Body Colour : Grey
Pipe Dia : 100x100
Base Plate : 200X200


Height
3Mtr
4Mtr
5Mtr
6Mtr



Model No : MP-9111
Model Name : Polar Pole
Wattage : 120(60x2)
Material : Iron
Body Colour : Grey
Pipe Dia : 100x100
Base Plate : 200X200


Height
3Mtr
4Mtr
5Mtr
6Mtr

:Decorative Street Poles:




Model No : MP-9112
Model Name : V-Star
Wattage : 120W
Material : Iron
Pipe Dia : 100x100
Body Colour : Grey
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr




Model No : MP-9113
Model Name : T-Star
Wattage : 120W
Material : Iron
Pipe Dia : 100x100
Body Colour : Grey
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr




Model No : MP-9114
Model Name : Delta
Wattage : 120W
Material : Iron
Pipe Dia : 100x100
Body Colour : Grey
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr



Model No : MP-9115
Model Name : Z Cross
Wattage : 50W
Material : Iron
Pipe Dia : 100x100
Body Colour : Grey
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr



Model No : MP-9116
Model Name : Uranas
Wattage : 60W
Material : Iron
Pipe Dia : 100x100
Body Colour : Grey
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr



Model No : MP-9117
Model Name : Traic
Wattage : 120W
Material : Iron
Pipe Dia : 100x100
Body Colour : Grey
Base Plate : 200X200

Height
3Mtr
4Mtr
5Mtr
6Mtr


:LED Street Poles:



Model No : MP-9118
Model Name : Vega
Wattage : 25w
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available

3Mtr
4Mtr
5Mtr



Model No : MP-9119
Model Name : Vega
Wattage : 50W
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available


3Mtr
4Mtr
5Mtr



Model No : MP-9120
Model Name : Khaua
Wattage : 25W
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available


3Mtr
4Mtr
5Mtr



Model No :MP-9121
Model Name :Energy Square
Wattage :50W
Material :Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available


3Mtr
4Mtr
5Mtr



Model No : MP-9122
Model Name : Hydra Pole
Wattage : 50W
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available

3Mtr
4Mtr
5Mtr




Model No : MP-9123
Model Name : Polar Pole
Wattage : 50w
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available


3Mtr
4Mtr
5Mtr

:LED Street Poles:




Model No : MP-9124
Model Name : V-Star
Wattage : 25w
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available
3Mtr
4Mtr
5Mtr



Model No : MP-9125
Model Name : T-Star
Wattage : 50w
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available
3Mtr
4Mtr
5Mtr



Model No : MP-9126
Model Name : Delta
Wattage : 50w
Material : Iron
Upper Pipe Dia : 80X80
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available
3Mtr
4Mtr
5Mtr



Model No : MP-9127
Model Name : Z-Cross
Wattage : 25w
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available
3Mtr
4Mtr
5Mtr



Model No : MP-9128
Model Name : Uranas
Wattage : 25w
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey



Height Available
3Mtr
4Mtr
5Mtr



Model No : MP-9129
Model Name : Traic
Wattage : 25w
Material : Iron
Upper Pipe Dia : 80X100
Bottom Pipe Dia: 100X100
Base Plate : 200X200
Body Colour : Grey

Height Available
3Mtr
4Mtr
5Mtr

:LED Street Poles:

(Without Gear Box) Model No : MP-9130 Model Name : Square Pole Material : Iron Pipe : 80 x 80 Height Available 2.6Mtr 3Mtr 3.6Mtr 4.2Mtr 	(With Gear Box) Model No : MP-9131 Model Name : Square Pole Material : Iron Top Pipe : 80x80 Bottom Pipe : 100X100 Height Available 3Mtr 4Mtr 5Mtr 6Mtr 	Model No : MP-9132 Model Name : Square Pole Material : Iron Pipe Size : 100 x 100 Height Available 3Mtr 4Mtr 5Mtr 6Mtr 7Mtr 	Model No : MP-9133 Model Name : Square Pole Material : Iron Top Size : 100 x 100 Bottom Size : 150x150 Height Available 8Mtr 9Mtr 10Mtr 11Mtr 12Mtr 
---	---	--	---


(Without Gear Box) Model No : MP-9134 Model Name : Round Pole Material : Iron Pipe Size : Ø60.3 Base Plate : 125x125 Height Available 2.5Mtr 3Mtr 3.65Mtr 	(With Gear Box) Model No : MP-9135 Model Name : Round Pole Material : Iron Pipe Size : Ø114x76 Base Plate : 200X200 Height Available 3Mtr 3.6 Mtr 4.2 Mtr 4.8 Mtr 	(With Gear Box) Model No : MP-9136 Model Name : Round Pole Material : Iron Pipe Size : Ø114x90 Base Plate : 200X200 Height Available 3Mtr 2.6 Mtr 4.2 Mtr 4.8 Mtr 	(With Gear Box) Model No : MP-9137 Model Name : Round Pole Material : Iron Pipe Size : Ø114 Base Plate : 250X250 Height Available 5Mtr 6Mtr 7Mtr 8Mtr 9Mtr 10Mtr 
---	--	--	---

Solar Lighting Pole

Material and Technology


- The product design is customization with fashionable & elegant design for our city beautification
- The lamp body using mild steel, with Hot Dipped Galvanised & PP-TEX Powder Coating and heavy aluminium heat sink PCB for best quality grade
- The Light Source with high quality LED Chip and best power supply for long life
- Dusk-to-Dawn technology & Power Regulator system inbuilt
- Auto Dimming feature with self light control system
- Plug & Play Series, as easy to instal and convenient to use

Technology information

Product Code	MP-9201
Lamp size	 80x120mm
Product height	3M-6M
Power	30-60W
Lamp material	Mild Steel with Hot Dipped Galvanised
Color temp	3000K / 6000K
LED chips	BRIGDELUX / OSRAM
Lens angle	120°70°
Solar Panel	50-100W
Battery Type	Lithium Iron Battery
Charge Time	00-00 Hrs
Working Time	20 Hrs
Protection levels	IP65



Light Distribution Curve



Application & Usage of Solar Street Light

Airport's Lighting
Highway and Roadway Lighting
Park & Playground Lighting
Outdoor Security Lighting
Railways & Metro Station


Public garden
Villa Garden
Plazas
Apartment of roads
School & college premises & etc.

Many Places are now being installed with Solar Lighting because these are easy to install with No conventional electricity cost

:LED Solar Pole:



: Decorativ Poles :



Model No : ML-9301
Model Name : Moon
Wattage : 40 Watts
Material : Mild Steel
Pipe Dia : Ø150

Available Height
2.6Mtr
3Mtr
3.6Mtr
4.2Mtr



Model No : ML-9302
Model Name : Lazzro
Wattage : 40 Watts
Material : Mild Steel
Pipe Size : 150x150
Available Height

2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9303
Model Name : Lazzro-2
Wattage : 40Watts
Material : Mild Steel
Size : 150x150
Available Height

2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9304
Model Name : Stone-1
Wattage : 40 Watts
Material : Mild Steel
Pipe Size : Ø150
Available Height

2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9305
Model Name : Stone-2
Wattage : 40 Watts
Material : Mild Steel
Pipe Size : Ø150
Available Height

2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9306
Model Name : Mezami
Wattage : 40 Watts
Material : Mild Steel
Pipe Size : Ø150
Available Height

2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-

: Laser Design Poles :



Model No : ML-9307
Model Name : Flora1
Wattage : 40Watts
Material : Mild Steel
Pipe Size : 150x150

Available Height
2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9308
Model Name : Flora-2
Wattage : 40 Watts
Material : Mild Steel
Pipe Size : 150x150

Available Height
2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9309
Model Name : Zevero
Wattage : 40 Watts
Material : Mild Steel
Pipe Size : 150x150

Available Height
2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9310
Model Name : Leaf
Wattage : 40 Watts
Material : Mild Steel
Size : 150x150

Available Height
2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9311
Model Name : Lyf
Wattage : 40 Watts
Material : Mild Steel
Size : 150x150

Available Height
2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Model No : ML-9312
Model Name : Live
Wattage : 40 Watts
Material : Mild Steel
Size : 150x150

Available Height
2.6Mtr
3Mtr
3.6Mtr
4.2Mtr-



Perfection ends @ UKAR POLES

: LED Poles :



Model No : MP-9401
Model Name : Hubolt-1
Wattage : 30 W
Material : Iron
Head Height : Ø200mm
Head Dia : Ø100mm
Pipe Dia : Ø76mm

Height Available
3Mtr
3.65Mtr
4.2Mtr

Model No : MP-9402
Model Name : HuBolt-2
Wattage : 60W
Material : Iron
Head Height : Ø200mm
Head Dia : Ø100mm
Pipe Dia : Ø76mm

Height Available
3Mtr
3.65Mtr
4.2Mtr



Model No : MP-9403
Model Name : Hubolt G1
Acrylic : Clear
Wattage : 30W
Material : Iron
Head Height : Ø200mm
Head Dia : Ø100mm
Pipe Dia : Ø76mm

Height Available
3Mtr
3.65Mtr
4.2Mtr

Model No : MP-9404
Model Name : Hubolt G2
Acrylic : Clear
Wattage : 60W
Material : Iron
Head Height : Ø200mm
Head Dia : Ø100mm
Pipe Dia : Ø76mm

Height Available
3Mtr
3.65Mtr
4.2Mtr



Model No : MP-9405
Model Name : Lazzo Pole
Wattage : 30W
Material : Iron
Pipe Dia : Ø114mm

Height Available
3Mtr
3.65Mtr
4.2Mtr

Model No : MP-9406
Model Name : Lazzo Pole-2
Wattage : 60W
Material : Iron
Pipe Dia : Ø114mm

Height Available
3Mtr
3.65Mtr
4.2Mtr



Model No : MP-9407
Model Name : Wave-180
Wattage : 35W
Material : Iron
Pipe Dia : Ø114mm

Height Available
3Mtr
3.65Mtr
4.2Mtr

Model No : MP-9408
Model Name : Wave-120
Wattage : 35W
Material : Iron
Pipe Size : Ø114mm

Height Available
3Mtr
3.65Mtr
4.2Mtr

: LED Poles :



Model No : MP-9409
Model Name : HuBolt A-1
Acrylic : Frost
Wattage : 30 W
Material : Iron
Head Height : Ø200mm
Head Dia : Ø100mm
Pipe Dia : Ø76mm

Height Available
3Mtr
3.65Mtr
4.2Mtr


Model No : MP-9410
Model Name : HuBolt A2
Acrylic : Frost
Wattage : 30W
Material : Iron
Head Height : Ø200mm
Head Dia : Ø100mm
Pipe Dia : Ø76mm

Height Available
3Mtr
3.65Mtr
4.2Mtr



Model No : MP-9411
Model Name : Hanto Pole
Wattage : 30W
Material : Iron
Pipe Dia : 100X100
Colour : Grey

Height Available
3Mtr
3.65Mtr
4.2Mtr



Model No : MP-9412
Model Name : Hanto Pole-2
Wattage : 30W
Material : Iron
Pipe Dia : 100X100
Colour : Grey

Height Available
3Mtr
3.65Mtr
4.2Mtr



Model No : MP-9413
Model Name : Mara Pole
Wattage : 30W
Material : Iron
Colour : Grey
Pipe Size : 130X130

Height Available
2.5Mtr
3Mtr



Model No : MP-9414
Model Name : Orbito
Wattage : 20W
Material : Iron
Colour : Grey
Pipe Size : 123X123

Height Available
2.5Mtr
3Mt



Model No : MP-9415
Model Name : Tornit-1
Wattage : 40W
Material : Iron
Pipe Dia : Ø100mm
Glass Size : 300mm

Height Available
2.5Mtr
3Mtr



Model No : MP-9416
Model Name : Tornit-2
Wattage : 20W
Material : Iron
Pipe Dia : Ø165mm

Height Available
2.5Mtr
3Mtr

: LED Poles :



Model No : MP-9417
Model Name : Zeal
Wattage : 30 W
Material : Iron
Size : 225X75

Height Available
3Mtr
3.6Mtr
4Mtr



Model No : MP-9418
Model Name : Zanto
Wattage : 30 W
Material : Iron
Size : 225X75

Height Available
3Mtr
3.6Mtr
4Mtr



Model No : MP-9419
Model Name : Zoet
Wattage : 30 W
Material : Iron
Size : 225X75

Height Available
3Mtr
3.6Mtr
4Mtr



Model No : MP-9420
Model Name : Wynk
Wattage : 30 W
Material : Iron
Head Dia : 338X95mm
Pipe Dia : Ø114mm

Height Available
3Mtr
3.6Mtr
4Mtr



Model No : MP-9421
Model Name : Spike
Wattage : 30 W
Material : Iron
Head Dia : 300X170mm
Pipe Dia : 80x80mm

Height Available
3Mtr
3.6Mtr
4Mtr



Model No : MP-9422
Model Name : Dike
Wattage : 30 W
Material : Iron
Head Dia : 251x121mm
Pipe Dia : 80x80mm

Height Available
3Mtr
3.6Mtr
4Mtr



Model No : MP-9423
Model Name : Reflecta
Wattage : 30 W
Material : Iron
Head Dia : Ø600mm
Pipe Dia : Ø114mm

Height Available
3Mtr
4Mtr
5Mtr



Model No : MP-9424
Model Name : Drawn
Wattage : 30 W
Material : Iron
Head Dia : 150mm
Pipe Dia : 100x100mm

Height Available
3Mtr
3.6Mtr
4Mtr

Model No : MP-9425
Model Name : Dhole
Wattage : 30 W
Material : Iron
Head Dia : Ø530mm
Pipe Dia : Ø114mm

Height Available
3Mtr
3.6Mtr
4Mtr

: LED Poles :




:MP-9426

:MP-9427

:MP-9428

:MP-9429

Model No :MP-9426	Model No :MP-94127	Model No :MP-9428	Model No :MP-9429
Model Name :Tubler Milky-1	Model Name :Tubler Milky-2	Model Name :Tubler Milky-3	Model Name :Tubler Milky-4
Acrylic : Frost	Acrylic : Frost	Acrylic : Frost	Acrylic : Frost
Wattage : 40 W	Wattage : 40 W	Wattage : 40 W	Wattage : 40 W
Colour : Grey	Colour :Grey	Colour :Grey	Colour : Wood Finish
Material :Iron	Material :Iron	Material :Iron	Material :Iron
Acrylic Height : 500mm	Acrylic Height : 500mm	Acrylic Height : 1000mm	Acrylic Height : 300mm
Pipe Dia :Ø76mm	Pipe Dia :Ø100mm	Pipe Dia :Ø100mm	Pipe Dia :Ø100mm
Height Available 3Mtr 4Mtr 5Mtr	Height Available 3Mtr 4Mtr 5Mtr	Height Available 3Mtr 4Mtr 5Mtr	Height Available 3Mtr 4Mtr 5Mtr

	Model No : MP-9430	Model No : MP-9431	Model No : MP-9432
	Model Name : Joco Pole	Model Name : Joco Pole	Model Name : Joco Pole
	Material : Iron	Material : Iron	Material : Iron
	Pipe Dia : Ø100mm	Pipe Dia : Ø100mm	Pipe Dia : Ø100mm
	Module : 1	Module : 2	Module : 3
	Size : 400mm	Size : 800mm	Size : 1200mm
	Height M.R.P	Height M.R.P	Height M.R.P
	3Mtr : 11,000/-	3Mtr : 12,250/-	3Mtr : 13,500/-
	4Mtr : 12,500/-	4Mtr : 13,750/-	4Mtr : 15,000/-
	5Mtr : 14,000/-	5Mtr : 15,250/-	5Mtr : 16,500/-
	Model No : MP-9433	Model No : MP-9434	
	Model Name : Joco Pole	Model Name : Joco Pole	
	Material : Iron	Material : Iron	
	Pipe Dia : Ø100mm	Pipe Dia : Ø100mm	
	Module : 2X2	Module : 2X3	
	Size : 2X800mm	Size : 3X800mm	
	Height M.R.P	Height M.R.P	
	3Mtr : 16,500/-	3Mtr : 18,500/-	
	4Mtr : 18,000/-	4Mtr : 20,000/-	
	5Mtr : 19,500/-	5Mtr : 21,500/-	

:Decorative Street Poles:



Model No : MP-9435
Model Name : Lazzo Pole-1
Wattage : 60W (30X2)
Material : Mild Steel
Pipe Dia : 100X100
Colour : Grey

Height Available
2.6Mtr
3Mtr
3.65Mtr



Model No : MP-9436
Model Name : Lazzo Pole-2
Wattage : 60W (30X2)
Material : Mild Steel
Pipe Dia : 100X100
Colour : Grey

Height Available
2.6Mtr
3Mtr
3.65Mtr



Model No : MP-9437
Model Name : Lazzo Pole-3
Wattage : 30W
Material : Mild Steel
Pipe Dia : 100X100
Colour : Grey

Height Available
2.6Mtr
3Mtr
3.65Mtr



Model No : MP-9438
Model Name : Ace Pole-1
Wattage : 30W
Material : Mild Steel
Pipe Dia : 100X100
Colour : Grey

Height Available
2.6Mtr
3Mtr
3.65Mtr




Model No : MP-9439
Model Name : Ace Pole-2
Wattage : 30W
Material : Mild Steel
Pipe Dia : 100X100
Colour : Grey

Height Available
2.6Mtr
3Mtr
3.65Mtr



: Decorative LED Poles :




Model No : MP-9501
Model Name : Cerian Pole
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9502
Model Name : Cerian Pole-2
Wattage : 60W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr




Model No : MP-9503
Model Name : Nova
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9504
Model Name : Nova-2
Wattage : 60W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr



Model No : MP-9505
Model Name : Dome
Wattage : 30W
Material : Iron
Pipe Dia : Ø114mm
Head Dia : Ø525mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9506
Model Name : Dome 2
Wattage : 30x2 60W
Material : Iron
Pipe Dia : Ø114mm
Head Dia : Ø525mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr



Model No : MP-9507
Model Name : Lyras
Wattage : 30w
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9508
Model Name : Lyras-2
Wattage : 60w
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm


Height Available
3Mtr
3.65 Mtr
4.2 Mtr

: Decorative LED Poles :




Model No : MP-9509
Model Name : Round Hangler
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr



Model No : MP-9510
Model Name : Round Hangler
Wattage : 60W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr



Model No : MP-9511
Model Name : Round Tuber
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9512
Model Name : Round Tuber
Wattage : 60W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr




Model No : MP-9513
Model Name : Jag Pole
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr



Model No : MP-9514
Model Name : Jag Pole-2
Wattage : 60W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr




Model No : MP-9515
Model Name : Pride Pole
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9516
Model Name : Pride Pole
Wattage : 60W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

: Decorative LED Poles :




Model No : MP-9517
Model Name : King Pole
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9518
Model Name : King Pole2
Wattage : 60W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr



Model No : MP-9519
Model Name : Spectra Pole
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø140mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9520
Model Name : Lepus Pole
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø140mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr



Model No : MP-9521
Model Name : Trica Pole
Wattage : 90W (30X3)
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9522
Model Name : Ball Top
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr




Model No : MP-9523
Model Name : Hornit
Wattage : 30W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

Model No : MP-9524
Model Name : Hornit-2
Wattage : 60W
Material : Iron
Top Dia : Ø60mm
Bottom Dia : Ø114mm

Height Available
3Mtr
3.65 Mtr
4.2 Mtr

:Decorative Street Poles:




Model No : MP-9601
Model Name : V Cross
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9602
Model Name : Octiva Pole
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9603
Model Name : Mezimmi Pole
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr




Model No : MP-9604
Model Name :
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr




Model No : MP-9605
Model Name : High Ford
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9606
Model Name : Titano Pole
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9607
Model Name : Trident
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm


Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9608
Model Name : Romantica Pole
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm


Height Available
5Mtr
6Mtr
7Mtr

:Decorative Street Poles:




Model No : MP-9609
Model Name : Long Pole
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9610
Model Name : Sail Pole
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr




Model No : MP-9611
Model Name : Romantica Pole 2
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9612
Model Name : Char Kal Pole
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9613
Model Name : Long Ford-2
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9614
Model Name : Zebra
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9615
Model Name : Mezimmi Pole-2
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr



Model No : MP-9616
Model Name : High Ford-2
Material : Iron
Bottom Dia : 114mm
Top Dia : 60mm
Thickness : 2.5mm

Height Available
5Mtr
6Mtr
7Mtr

LED SOLAR STREET LIGHTS

Wattage Available from 12W to 120W



Applications

Street Lighting	Pathway Lighting
Farm Lighting	Wildlife Area Lighting
Park Lighting	Railway Yard Lighting
Ship Dock Lighting	Ramp Lighting
Private Road Lighting	Military Base Lighting
Roadway Lighting	Perimeter security Lighting
Remote Area Lighting	Gate Lighting



FEATURES

1. Heating from infrared rays of solar radiation.
Greater absorption area per day.
2. Minimum heat loss from the system due to the vacuum tubes & PUF insulated storage tank.
3. Better performance in winter & on cloudy days. Up to 10°C higher temperature
Maintenance free, easy to clean
4. Inner tank and outer tank body are made from SS304 superior grade stainless steel to withstand corruptions and to last a life time.
5. Compact size - low height & lesser space required for installation.

Energy Savings

UKAR Solar Water Heaters are designed to offer substantial savings when compared to electric water heaters.

Driver we use in our Products or equivalent driver shall be used



Simpel



Dimmable Driver.

LED's we use in our Products



Everlight

IP Protection in our Products



Surge Protection in our Products



All LED Driver are BIS certified.



All LED's are energy saving.



All LED's have sustainability.

Customisation can be done on providing Drawing

This suspends all our previous catalog

Local taxes as applicable

Packaging and Forwarding at extra Ex-Factory Only

Final Product may vary from image displayed

Dispute, If Any, Subject to Bangalore Jurisdiction.



UKAR HEXICAL LIGHTING INDUSTRIES

No:41,5th Cross Vidyanagar Bommasandra
Bangalore-560099.(Landmark near Lark hotel)

E-mail:ukarenergysolutions@gmail.com
ukarhexicallightingindustries@gmail.com

www.ukarhexicallightingindustries.com

Ph: +919742210002
+919742230006
+919742280009
+919742230008